


eternoivica

Profilo perimetrale verticale
Vertical perimeter profile




PEDESTAL



Profilo perimetrale verticale

NEW

Vertical perimeter profile



Il Profilo Perimetrale Verticale è un elemento di chiusura e finitura dei bordi perimetrali nelle pavimentazioni sopraelevate esterne, si adatta perfettamente alle lastre di pavimentazione dello spessore di 20 mm e ai supporti che fungono da sottostruttura.

È un prodotto che combina l'estetica con la funzionalità e rende ancora più gradevole una pavimentazione esterna.

Il profilo è in **alluminio** e viene proposto in due colori standard: **silver** e **grigio antracite**, è corredato di due importanti accessori che sono il giunto lineare e il giunto angolare a 90°, anch'essi in alluminio e con le medesime colorazioni del profilo, il profilo ha una **lunghezza di 2,40 m** mentre le altezze standard sono di **30-60-90-120-150 mm**.


Di facile e veloce installazione, è sufficiente appoggiare il lato con le feritoie sulle teste dei supporti, accostare i profili e inserire i giunti (lineare e ad angolo). Si adatta perfettamente alle lastre di pavimentazione aventi misure di 600x600, 750x750, 800x800, 900x900, 400x800, 450x900, 300x1200, 400x1200, 600x1200, 1200x1200 mm.

The Vertical Perimeter Profile is an element of closure and finishing of the perimeter edges in the external raised flooring, it adapts perfectly to the flooring slabs of 20 mm thickness and to the supports that act as a substructure.

It is a product that combines aesthetics with functionality and makes an outdoor flooring even more pleasant.

The profile is in **aluminium** and is available in two standard colours: **silver** and **anthracite gray**. It is equipped with two important accessories that are the linear joint and the 90 ° angular joint, also in aluminium and with the same colours of the profile.

The profile has a **length of 2.40 meters** while the **standard heights are 30-60-90-120-150 mm**. Easy and quick to install, simply place the side with the slits on the heads of the supports, pull together the profiles and insert the joints (linear and angular). It fits perfectly into flooring slabs measuring 600x600, 750x750, 800x800, 900x900, 400x800, 450x900, 600x1200, 1200x1200 mm.



Giunto lineare
Linear joint




Posizionamento profilo sui supporti
Positioning of the profile on the supports



Angolo esterno
External corner



Angolo interno
Internal corner



Le misure sono espresse in millimetri. Measurements are expressed in millimeters.